



**2002-2006 CADILLAC ESCALADE ELECTRONIC
REAR AIR SHOCK (INCLUDING ESV & EXT)
KIT AS-2411**



Congratulations on your selection to purchase an Arnott Air Suspension System. We at Arnott Air Suspension Systems are proud to offer a high quality product at the industries most competitive pricing. Thank you for your confidence in us and our product.

Proper installation is essential to experience and appreciate the benefits of this system. Please take a moment to review these installation instructions before you begin to install this system on your vehicle.

It is equally important to be aware of all necessary safety measures while installing your new Air Ride System. This includes proper lifting and immobilizing of the vehicle and isolation of any stored energy to prevent personal injury or property damage.

“Engineered to Ride, Built to last”



WARNING: The air suspension system is under pressure (up to 10 bar, or 150 lbf/in) verify pressure has been relieved and disconnect power to the air ride system prior to disassembly. Do not allow dirt or grease to enter the system. Always wear standard protective hand, ear, and eye protection when servicing the air suspension system.

Kit contains:

PARTS LIST		
P/N	QTY	DESCRIPTION
21-4238	2	REAR AIR SHOCK





Air Shock Removal/Installation:

- 1.0 Remove the air compressor fuse (Stud 1) (figure A).




Figure A



Use lifting platform (hoist) that is capable of raising the body separately from the wheels, lift body at the lifting points prescribed by the vehicle manufacturer.

Vehicle slippage can cause danger to life and limb.

- 2.0 Raise vehicle.

NOTE: Refer to Figure B for steps 3.0- 6.0.

- 3.0 Disconnect the electrical connector (1).
- 4.0 Disconnect the air line (2).
- 5.0 Remove the upper air shock nut and bolt (3).
- 6.0 Remove the lower air shock nut and bolt (4).
- 7.0 Remove air shock.
- 8.0 Removal complete, installation is in the reverse order of removal. Torque upper and lower air shock bolts to 70 ft-lb.




Figure B